

Medical First Responder Level of Service Comparison Chart

| Skill | Saga MFR | AFA / FMR | EMR | PCP |
|--|----------|-----------|-----|-----|
| CPR with AED | ✓ | ✓ | ✓ | ✓ |
| Use a Stethoscope | ✓ | ✓ | ✓ | ✓ |
| Blood Pressure by Auscultation | ✓ | ✓ | ✓ | ✓ |
| Blood Pressure by Palpation | ✓ | ✓ | ✓ | ✓ |
| Blood Glucose (BGL) | ✓ | ✓ | ✓ | ✓ |
| Pulse Oximeter (SpO2) | ✓ | ✓ | ✓ | ✓ |
| Patient extrication; basic lifting/moving | ✓ | ✓ | ✓ | ✓ |
| Splinting techniques; in position found | ✓ | ✓ | ✓ | ✓ |
| Spinal Injury Care; use of long board | ✓ | ✓ | ✓ | ✓ |
| Cervical collar | ✓ | ✓ | ✓ | ✓ |
| Pelvic Binding | ✓ | ✓ | ✓ | ✓ |
| Hemostatic Agents/Wound Packing | ✓ | ✓ | ✓ | ✓ |
| One-time in-line limb realignment for deformed fracture | X | X | ✓ | ✓ |
| Bag-Valve-Mask (BVM) | ✓ | ✓ | ✓ | ✓ |
| Oxygen Administration | ✓ | ✓ | ✓ | ✓ |
| Suction devices; oral | ✓ | ✓ | ✓ | ✓ |
| Oropharyngeal airway (OPA) | ✓ | ✓ | ✓ | ✓ |
| Nasopharyngeal airway (NPA) | X | X | ✓ | ✓ |
| Supraglottic Airway | X | X | X | ✓ |
| Assist Patient with their own Salbutamol (Ventolin) | ✓ | ✓ | ✓ | ✓ |
| Assist Patient with their own Ipratropium Bromide (Atrovent) | ✓ | ✓ | ✓ | ✓ |
| Assist Patient with their own Epinephrine | ✓ | ✓ | ✓ | ✓ |
| Acetylsalicylic acid (ASA) administration | ✓ | ✓ | ✓ | ✓ |
| Oral Glucose administration | ✓ | ✓ | ✓ | ✓ |
| Naloxone (Narcan) administration | ✓ | ✓ | ✓ | ✓ |
| Nitrous Oxide (Entonox) administration | X | X | ✓ | ✓ |
| Assist with Imminent Delivery | ✓ | ✓ | ✓ | ✓ |
| Manage Obstetrical Emergency | ✓ | X | X | ✓ |
| Fundal Massage | ✓ | ✓ | ✓ | ✓ |

Medical First Responder (MFR)

Advanced First Aid (AFA)

First Medical Responder (FMR)

Emergency Medical Responder (EMR)

Primary Care Paramedic (PCP)